VT-SBC-RK3588S-NT Single Board Computer




Brief Introduction

As a member of the NiceLit family, VT-SBC-RK3588S-NT single board computer is powered by Rockchip RK3588S, which is a low-power solution tailored for cost-sensitive devices while maintaining the powerful capabilities of its predecessor. It features an octa-core CPU architecture, combining 4x Cortex-A76 high-performance cores and 4x Cortex-A55 high-efficiency cores, delivering the power needed for demanding applications. The powerful ARM Mali-G610 MP4 GPU renders stunning visuals and supports advanced 3D graphics, while the 6 TOPS NPU enables cutting-edge AI and machine learning capabilities, empowering developers to create intelligent, adaptive systems.

VT-SBC-RK3588S-NT offers rich I/O options, including MIPI DSI, MIPI CSI, HDMI, USB, and UART for flexible integration and scalability. In addition, it supports up to three displays in extended mode and offers 8K video decoding and 8K encoding display outputs, making it perfect for digital signage, smart displays, and home entertainment systems.

Vantron NiceLit series targets at both commercial and industrial fields, empowering developers and businesses to accelerate time-to-market and deliver high-performance solutions.

Exterior and Features




	VT-SBC-RK3588S-NT
Ö	Rockchip RK3588S octa-core powerful processor
6	8K video decoding and 8K encoding
	Up to three displays in extended mode
,	Rich interfaces for flexible expansion
Ø	Gigabit Ethernet, with PSE support
	AI acceleration and edge computing
L	Optimized for energy efficiency
Ø	Compact and scalable

VT-SBC-RK3588S-NT Single Board Computer Datasheet


		VT-SBC-RK3588S-N	т			
	CPU	Rockchip RK3588S Quad-core Cort	ex-A7	6 + Quad-core Cortex-A55	5, Max. 2.4GHz	
	GPU	ARM Mali-G610 MC4, Max. 1GHz (Open	GL ES1.1/2.0/3.2, OpenCL	2.2, Vulkan 1.2 supported)	
System	NPU	6 TOPS, int4/int8/int16/FP16/BF16	5/TF32	supported	oported	
	Memory	4GB LPDDR4x				
	Storage	64GB eMMC V5.1, HS400		1 x Micro SD slot, up to	128GB	
Commission	Ethernet	1 x RJ45 (PSE support), 10/100/100	00Mbj	os		
Communication	Wi-Fi & BT	Wi-Fi IEEE 802.11 a/b/g/n/ac/ax +	BT 5.4	4		
	Video processing	8K@30fps H.265/H.264 video enco	oder	8K@60fps H.265/8K@30	Ofps H.264 video decoder	
	Camera ISP	16MP ISP, with resolutions up to 4	672 ×	3504 (HDR, 3DNR, 2DNR)		
	Display	1 x 4-lane MIPI DSI (D-PHY/C-PHY)	, up to	4K@60Hz		
Media	(support multi-display	1 x Mini DP 1.4, up to 4K@60Hz				
	in extended mode)	1 x Micro HDMI 2.1, up to 4K@60H	Ηz			
	Camera	1 x 4-lane MIPI CSI (D-PHY)				
	Audio	1 x 3.5mm Combo audio jack (CTIA	()			
	USB	4 x USB 3.0 Type- A		1 x USB 2.0 Type-C (pov	wer in, data transfer, OTG)	
		2 x SPI		2 x CAN		
		3 x Communication UART		1 x Debug UART		
I/O	40-Pin GPIO header	2 x l ² C		28 x GPIO (Max.)		
		2 x 5V Power pin	2 x 3	.3V Power pin	8 x Ground pin	
	Antenna	1 x Wi-Fi & BT antenna connector	(IPEX-	1)		
Miscellaneous	RTC	Supported				
wiscellaneous	Watchdog timer	Supported				
Power	Input	5V/5A DC, USB Type-C				
Software	Operating system	Android 13, Debian 11, Ubuntu 22	.04			
Software	Device management	BlueSphere MDM (Android version	n optio	onal)		
Mechanical	Dimensions	87.95mm x 57.39mm x 17.78mm				
Wechanica	Weight	55g (±5g)				
Environmental	Temperature	Operating: $0^{\circ}C \sim +60^{\circ}C$		Storage: -25°C~+85°C		
Condition	Humidity	10%-90%RH (Non-condensing)				

Product Outlines



Vantron | Embedded in your success, Embedded in your better life World-leading provider of embedded/IoT products and solutions

Block Diagram



Packaging Information

Ordering No.	Processors	ı/o	Operating System
VT- SBC-RK3588S-NT-A			Android 13
VT- SBC-RK3588S-NT-D	RK3588S Octa-core CPU, ARM	Micro HDMI, Mini DP, MIPI DSI, USB 2.0,	Debian 11
VT- SBC-RK3588S-NT-U	Mali-G610 GPU, 6 TOPS NPU	USB 3.0, USB-C, UART, CAN, SPI, I ² C, GPIO	Ubuntu 22.04

Packing list	
VT- SBC-RK3588S-NT single board computer	1
5V/5A USB power adapter & power cable	1 kit

Since its establishment in 2002 by two Silicon Valley entrepreneurs, Vantron Technology has been at the forefront of the connected IoT devices and IoT platform solutions. Today, Vantron boasts a global customer base that includes many Fortune Global 500 companies. Its product lines cover edge intelligent hardware, IoT communication devices, industrial displays and BlueSphere cloud platforms.

With over 20 years of experience in R&D of intelligent edge hardware, Vantron has provided users with diverse embedded solutions featuring ARM and X86 architectures. Its offerings range from Linux, Android to Windows, from embedded to desktop level, and from gateways to servers. In addition, it provides users with system trimming, driver transplantation and more to cater to the unique needs of its users.

VT-SBC-RK3588S-NT V1.5 © 2025 Vantron Technology, Inc. All rights reserved. This document may be updated or modified by Vantron Technology without prior notice.