DE20-BT Industrial DTU



Product Brief

As part of Vantron's overall solution for industrial automation and device communication, Vantron DE20-BT is an entry-level database transaction unit (DTU) that features a serial port and Bluetooth 5.0 for simple-process data collection.

DE20-BT supports low-rate carrier network (CAT M) and multiple data centers. With such network protocols as PPP, IP, and TCP/UDP supported, real-time device data is accessible and unvarnished transmission is feasible.

Thanks to its compact size and less than 5W power consumption, DE20-BT saves great trouble for users in its installation and maintenance. Besides, it supports $5V^{3}6V$ wide input voltage and $-20^{\circ}C^{2} + 70^{\circ}C$ industrial-grade extended temperature range, and implements a fanless heat sink for device heat dissipation, making it a cost-effective IoT solution for customers. DE20-BT is particularly designed for power distribution monitoring, oil & gas transportation, environment monitoring, etc.



Exterior and Features


Vantron | Embedded in your success, Embedded in your better life World-leading provider of embedded/IoT products and solutions

DE20-BT Industrial DTU Datasheet

DE20-BT					
Communication	4G LTE	CAT M			
	Bluetooth	BT 5.0, BLE coded PHY supported			
I/Os	Serial port	1 x RS232/RS485 for data communication			
		1 x RS232 for device configuration			
	LED indicator	1 x 4G LTE status indicator			
System Control		1 x Serial port status indicator			
		1 x Power indicator			
		1 x Error indicator			
	Button	1 x Restore button			
	Dimensions	100mm x 74mm x 34mm (Enclosure only)			
Mechanical	Installation	Wall mounting			
	IP rating	IP30			
	Input	5V~36V			
Power		1 x Power terminal			
	Consumption	< 5W			
	Configuration tool	VT Dtool			
	Multiple data centers	Supported			
Software	Network protocol	PPP, IP, TCP/UDP			
	Southbound protocol	Modbus			
	Northbound protocol	MQTT			
	Temperature	Operating: $-20^{\circ}C \sim +70^{\circ}C$			
		Storage: $-40^{\circ}C \sim +85^{\circ}C$			
Environment Condition	Humidity	Operating: RH 5%-95% (Non-condensing)			
	EMC level	EMC Level 3			
	Certification	FCC, UL			

Vantron | Embedded in your success, Embedded in your better life World-leading provider of embedded/IoT products and solutions

Product Outlines



Ordering Information

Ordering No.	4G/LTE	LTE antenna	BT antenna	Mounting bracket
DE20-BT	CAT M	Yes	Yes	Yes

Packing list	
DE20-BT industrial DTU	1
4G LTE antenna	1
BT antenna	1
DB9 male to 3.5mm serial adapter cable	1
Terminal connector	2

Optional accessories				
12V DC Power adapter & power cord	1 kit			
DC power connector	1			

Since its establishment in 2002 by two Silicon Valley entrepreneurs, Vantron Technology has been at the forefront of the connected IoT devices and IoT platform solutions. Today, Vantron boasts a global customer base that includes several Fortune 500 companies. Its product lines cover edge intelligent hardware, IoT communication devices, industrial displays and BlueSphere cloud device management platform.

Vantron offers IoT communication devices that enable multi-protocol connections for industrial equipment and local data processing through edge computing. With abundant wired and wireless connectivity options, remote operations and maintenance have become easier than ever. Such devices can be deployed across different sectors such as smart retail, medical and warehousing. Moreover, Vantron's IoT solutions are designed to facilitate enterprises' digital transformation, streamline operations, enhance productivity, etc.

DE20-BT V2.0 © 2023 Vantron Technology, Inc. All rights reserved. Vantron Technology, Inc. reserves the right to update or modify this document at any time without prior notice.