

# IBOX6425E

## Embedded Industrial Computer




### Product Brief

Vantron IBOX6425E Embedded Industrial Computer is powered by the high-performing Intel® Atom® Elkhart Lake processor that has four cores capable of delivering high computing power for various embedded applications while keeping the CPU power consumption low at just 12W. The device supports two Ethernet ports transmitting at 10/100/1000Mbps. It also boasts two M.2 B-Key slots, one for SSD expansion and the other for connection of either a Wi-Fi 802.11 a/b/g/n/ac and BT 5.0 module or a 5G module to ensure reliable wireless communication.

The device comes with an HDMI interface and a VGA interface (configurable as dual HDMI interfaces) for optimized image display. In addition, there are two serial ports to enable seamless communication with external devices, ensuring a reliable, error-free data path.

IBOX6425E offers rich peripheral interfaces, allowing businesses to connect a wide range of peripherals for extended applications. This includes devices such as barcode scanners, cameras, barcode printers and keyboard plates, making customers rest assured of a reliable and consistent user experience.

### Exterior and Features




IBOX6425E	
	Intel® Elkhart Lake high-performance processor
	HDMI/VGA for 4K/FHD video output
	Rich industrial I/O for flexible user expansion
	Gigabit Ethernet, Wi-Fi, BT, optional 5G connectivity
	Industrial-grade wide temperature design
	Ability to withstand harsh environments
	Industrial longevity

**IBOX6425E Embedded Industrial Computer Datasheet**

IBOX6425E			
<b>System</b>	CPU	Intel® Atom® x6425E processor, 4C4T, 2.0GHz (base), 3.0GHz (turbo), 12W TDP Optional: Intel® Celeron® J6412 processor, 4C4T, 2.0GHz (base), 2.6GHz (turbo), 10W TDP	
	GPU	Intel® HD Graphics 500	
	Memory	4GB DDR4 (Up to 16GB)	
	Storage	32GB eMMC 1 x SATA slot	1 x M.2 B-Key (2242/2280), for SSD
<b>Communication</b>	Ethernet	2 x RJ45, 10/100/1000Mbps	
	Wireless	1 x M.2 B-Key (3042/3052) for Wi-Fi 802.11 a/b/g/n/ac + BT 5.0 (Default) (Optional replacement: 5G cellular connectivity)	
<b>Media</b>	Display	1 x HDMI 2.0b (4096 x 2160 @60Hz) 1 x HDMI 2.0b (4096 x 2160 @60Hz) / 1 x VGA (1920 x 1080 @60Hz)	
	Audio	1 x 3.5mm combo audio jack (CTIA)	
<b>I/O</b>	Serial port	2 x RS232/RS485/RS422	
	USB	2 x USB 3.0 Type-A	1 x USB 3.0 Type-C
	Micro SIM slot	1 x Micro SIM slot	
	RTC	Supported	
	Watchdog	Supported	
	TPM	1 x TPM 2.0	
<b>Expansion</b>	M.2 slot	1 x M.2 B-Key (2242/2280) for SSD or VPU 1 x M.2 B-Key (3042/3052) for Wi-Fi & BT (default) or 5G	
	I/O expansion board (Optional)	2 x USB 2.0 Type-A 2 x RS232/RS485	1 x CAN 8 x GPIO
<b>System Control</b>	Button	1 x ON/OFF button	1 x Reset button
	LED	1 x ON/OFF LED indicator	
<b>Software</b>	OS	Windows 10 (IoT), Ubuntu 20.04	
<b>Power</b>	Input	1 x Power jack (12V/5A or 24V/3A)	
<b>Mechanical</b>	Dimensions	171mm x 128mm x 38mm (Enclosure only) 196mm x 128mm x 38mm (With bracket)	
	Installation	Wall mounting	Optional: DIN rail mounting
	Weight	750g	
	Shock test	IEC 60068-2-27	
	Water and dust resistance	IP40	
	Cooling mode	Fanless	
<b>Environmental Condition</b>	Temperature	Operating: -20°C~+70°C ( <b>6425E</b> ); 0 ~ +70°C ( <b>J6412</b> ) Storage: -40°C~+85°C	
	Humidity	Operating: 10%~90% RH	Storage: 5%~95% RH
	ESD	ESD: ±4KV (contact) and ±8KV (air)	
	Certification	EMC 3 Class B, SRRC, RoHS, CE	

**Product Outlines**



**Ordering Information**

**Nomenclature**

**IBOX[P]-[M-OS-Display-Add-on-Installation]**

**P:** Processor: **6425E**-6425E; **6412**-J6412

**M:** Memory: **M4**-4GB; **M8**-8GB; **M16**-16GB

**OS:** Operating system: **X**-Windows 10 IoT; **U**-Ubuntu 20.04

**Display:** **2H**-Dual HDMI; **1H**-HDMI + VGA

**Add-on:** **W**-Wi-Fi & BT / **5G**-5G; **S1**-64GB SSD; **S2**-128GB SSD; **S3**-256GB SSD; **E**-expansion board

**Installation:** **Null**-Wall Mounting; **D**-DIN rail mounting

Example Ordering No.	Processor	Memory	Operating System	Display	Add-on	Installation
IBOX6425E-M4X2HW	Intel® Atom®	4GB	Windows 10 IoT	Dual HDMI	Wi-Fi & BT	Wall mounting
IBOX6425E-M8U1HS2ED	x6425E	8GB	Ubuntu 20.04	HDMI + VGA	128GB SSD, expansion board	DIN rail mounting
IBOX6412-M4X1HWS3D	Intel® Celeron®	4GB	Windows 10 IoT	HDMI + VGA	Wi-Fi & BT, 256GB SSD	DIN rail mounting
IBOX6412-M16U2H5E	J6412	16GB	Ubuntu 20.04	Dual HDMI	5G cellular, expansion board	Wall mounting

Packing List	
IBOX6425E Embedded industrial computer	1
Wi-Fi & Bluetooth antenna	2

Optional Accessories	
12V DC Adapter	1
Power cable	1
Expansion board	1
DIN rail mount	1
5G antenna	4

IBOX6425E V2.5 © 2026 Vantron Technology, Inc. All rights reserved. This document may be updated or modified by Vantron Technology without prior notice.