# M10 Series 10" General-purpose Industrial Tablets



### **Product Brief**


Vantron M10 series 10" general-purpose industrial tablets are powered by Rockchip multi-core processor with a 10-inch capacitive touchscreen to offer excellent human-machine interactive experience. This series supports cloud connectivity to Vantron BlueSphere device management platform for centralized management. The devices feature flexible specification options, large battery capacity, and outperforming power management system to meet different requirements for application in retail businesses, multi-media education, transportation, laboratories, and libraries.

Models available under this series are M10 Lite and M10 Pro. M10 Lite is a compact edition which retains the most basic features of industrial tablets and provides a low-cost solution for clients with performance guarantee. While M10 Pro is an advanced edition that enhances CPU performance and upgrades certain specifications. Moreover, it is superior in functions such as 4G, NFC, larger battery capacity and LED indicators to respond to the needs of more industrial scenarios in a more flexible manner.


### **Exterior and Features**

	M10 Lite		M10 Pro
	Android 10 2GB Memory and 16GB Storage Front camera: 2MP, Rear camera: 2MP 4000mAH Battery (up to 8000mAH) 10.1" IPS TFT LCD Resolution: 1280x800		Android 11, GMS certified  4GB Memory and 32GB Storage  Rear camera: 8MP, auto focus  8000mAH Battery with charging indicator  10.1" IPS TFT LCD  Resolution: 1280x800
\$\frac{1}{2}\$	Brightness: 280cd/m2 Wi-Fi 802.11 b/g/n + BT4.0 (expandable) USB Type-C Power charge & data transmission supported	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Brightness: 280cd/m <sup>2</sup> Dual band Wi-Fi 802.11 a/b/g/n/ac + BT5.0  USB Type-C  9V/2A fast charge & data transmission supported  4G, AT&T and Verizon certified  NFC supported

### M10 Lite



# M10 Pro




# M10 10" General-purpose Industrial Tablets Datasheet


Model		M10 Lite	M10 Pro	
	CPU	Rockchip RK3326, Quad-core ARM Cortex-A35 processor, 1.3GHz (Max.)	Rockchip RK3566, Quad-core ARM Cortex-A55 processor, 1.8GHz (Max.)	
	GPU	Dvalin	Mali-G52	
System	Memory	2GB	2GB (Optional:4GB)	
	Storage	16 GB 1 x Micro SD slot, up to 128GB	16GB (Optional: 32GB) 1 x Micro SD Slot, up to 128GB	
	Wi-Fi & Bluetooth	Wi-Fi 802.11 b/g/n + BT 4.0 (Optional: Wi-Fi 802.11 a/b/g/n/ac + BT 5.0)	Wi-Fi 802.11 a/b/g/n/ac + BT 5.0	
Communication	4G LTE	NA	LTE CAT 4 (Optional)	
	NFC	NA	Optional	
	Display	10.1" IPS TFT LCD Resolution: 1280 x 800 Brightness: 280 cd/m <sup>2</sup>	10.1" IPS TFT LCD Resolution: 1280 x 800 Brightness: 280cd/m²	
	TP	5-point capacitive touchscreen	10-point capacitive touchscreen	
Media	Camera	Front camera: 2MP, fixed focus Rear camera: 2MP, fixed focus	Front camera: 5MP, fixed focus Rear camera: 8MP, auto focus	
	Audio	$1 \times 3.5$ mm combo audio jack $1 \times 0.8$ W/ $8\Omega$ speaker $1 \times 0.8$ Mic	$1 \times 3.5$ mm combo audio jack $1 \times 1$ W/8 $\Omega$ Speaker $1 \times$ Mic	
1/0-	USB	1 x USB 2.0 Type-C (USB OTG supported)	1 x USB 2.0 Type-A 1 x USB 2.0 Type-C (USB OTG supported)	
I/Os	SIM slot	NA	1 x Micro-SIM slot	
	RTC	Supported	Supported	
	Light sensor	NA	Optional	
Sensor	Proximity sensor	NA	Optional	
	G-Sensor	Supported	Supported	
	Button	1 x Power on/off 1 x Volume -/+	1 x Power on/off 1 x Volume -/+	
System Control	LED	NA	Amber: Charging Red: Low power Green: Charged	
	OS	Android 10	Android 11, GMS certified	
Software	Device management platform	BlueSphere MDM	BlueSphere MDM	
	OTA tool	BlueSphere OTA	BlueSphere OTA	
Da	Input	USB Type-C power input, 5V/2A DC	USB Type-C power input, 5V/2A DC (Default) (9V/2A DC fast charge supported)	
Power	Battery	Single Li-ion battery: 4000mAh/3.7V (Optional: 8000mAh/3.8V)	Single Li-ion battery: 8000mAh/3.8V	
Mechanical	Dimensions	255mm x 161.5mm x 13.2mm	255mm x 161.5mm x 13.2mm	
	Temperature	Operating: 0°C~+45°C Storage: -20°C~+45°C	Operating: 0°C~+45°C Storage: -20°C~+45°C	
Environment Condition	Humidity	Operating: 20%-80% RH Storage: 20%-80% RH	Operating: 20%-80% RH Storage: 20%-80% RH	
	Certification	FCC (Part 15 class B) ESD (contact: ±4KV and air: ±8KV)	FCC (Part 15 Class B) ESD (contact: ±4KV and air: ±8KV)	

### **Product Outlines**

### M10 Lite



### M<sub>10</sub> Pro



# Ordering Information

Ordering No.	Wi-Fi & Bluetooth	
M10 Lite-L	Wi-Fi b/g/n & Bluetooth 4.0	
M10 Lite-H	Wi-Fi a/b/g/n/ac & Bluetooth 5.0	

Ordering No.	Memory & Storage	4G network
M10 Pro-L	2GB + 16GB	-
M10 Pro-L4	2GB + 16GB	Yes
M10 Pro-H	4GB + 32GB	-
M10 Pro-H4	4GB + 32GB	Yes

Packing list	
M10 Lite Industrial tablet	1
5V/2A Power adapter	1
USB cable	1

Packing list	
M10 Pro Industrial tablet	1
5V/2A Power adapter	1
USB cable	1

Since its establishment in 2002 by two Silicon Valley entrepreneurs, Vantron Technology has been at the forefront of the connected IoT devices and IoT platform solutions. Today, Vantron boasts a global customer base that includes several Fortune 500 companies. Its product lines cover edge intelligent hardware, IoT communication devices, industrial displays and BlueSphere cloud device management platform.

Vantron's intelligent display systems are comprised of industrial tablets, touchscreen monitors and all-in-one panel PCs that deliver enhanced device performance and exceptional human-machine interactive experience. The industrial tablets are powered by industry-leading brands such as Rockchip, NXP, MediaTek, and Intel. The touchscreen monitors offer flexible installation options to cater to various application scenarios. The all-in-one panel PCs offer an overall solution that integrates the touchscreen monitor, display, processor, and operating system. Moreover, the displays are built to excel in harsh environments thanks to advanced features like waterproofing, dustproofing, and shatter resistance.

M10 series V2.2 © 2023 Vantron Technology, Inc. All rights reserved. Vantron Technology, Inc. erserves the right to update or modify this document at any time without prior notice.