

TMO170

17" Open-Frame Touchscreen Monitor




Product Brief

Vantron Technology offers open-frame touchscreen monitors that vary in screen size from 7 inches to 27 inches and resolution from 1024 x 600 to 1920 x 1080. When used with Vantron embedded computers, such touchscreen monitors will offer more flexible solutions for customers to meet the requirements of application in different scenarios such as industrial control, health care, education, retail, transportation, and finance.

TMO170 open-frame touchscreen monitor applies a 17-inch screen and features quick response time, large visible area and viewing angle to optimize the display performance. The screen is designed to be anti-fingerprint, and users have the option to equip the touchscreen with anti-glare and anti-reflection coatings that offer excellent visual experience and improve human-machine interaction accuracy. Moreover, TMO170 offers flexible installation options and OSD controls to enhance user experience.

Exterior and Features




TMO170

-  17" TFT LCD, 10-point PCAP touchscreen
-  Sleek appearance
-  AR/AG touchscreen available
-  VESA mount supported
-  Excellent longevity (50,000H MTBF)
-  Vanity free, easy integration

TMO170 17" Open-frame Touchscreen Monitor

Specifications		
Display	Model	TMO170
	Diagonal size	17" TFT LCD with LED backlight
	Aspect ratio	5:4
	Resolution	1280 x 1024
	Brightness (Typical)	250 nits
	Active area	337.92mm x 270.34mm
	Contrast ratio	1000:1
	Number of colors	16.7M
	Response time	15ms
	Viewing angle	Horizontal: 170° Vertical: 160°
Touch panel	Touch point	10-point PCAP touchscreen
	Touch control	Finger, stylus pen
	Cover lens thickness	3mm
	Surface treatment	Anti-fingerprint, tempered glass (Optional: Anti-glare / Anti-reflection)
	Light transmittance ratio	>85%
	Touch communication interface	USB 2.0
Video	Video interface	1 x VGA 1 x HDMI
Audio	Audio interface	1 x Line in (Optional)
Mechanical	Dimensions	394.6mm x 326.9mm x 46.7mm (without brackets)
	Weight	4.0 kg
	Installation	VESA mount (100mm x 100mm, 75mm x 75mm) Side bracket mount
	OSD	Built-in OSD (set up with OSD keys) Controls: Menu, Up, Down, Back, Power
Power	Power input	12V DC
	Power consumption	<16W
Software	Language	Chinese and English
	Adjustment of brightness, contrast and color temperature	Supported
Environmental Condition	Temperature	Operating: 0°C ~ +40°C Storage: -20°C ~ +60°C
	Humidity	RH 10%~90% (non-condensing)
	MTBF	50,000 hours
	Warranty	3 years
	ESD	ESD: ±4KV (contact) and ±8KV (air)
	Certification	FCC, CE, UL

Product Outlines



Ordering Information

Ordering No.	AG	AR
TMO170-G	Yes	-
TMO170-R	-	Yes
TMO170	-	-

Packing List	
TMO170 touchscreen monitor	1
Power adapter	1
Power cable	1
Touch USB cable	1
Side mounting bracket	1 (kit)
HDMI cable	1
VGA cable	1

Since its establishment in 2002 by two Silicon Valley entrepreneurs, Vantron Technology has been at the forefront of the connected IoT devices and IoT platform solutions. Today, Vantron boasts a global customer base that includes several Fortune 500 companies. Its product lines cover edge intelligent hardware, IoT communication devices, industrial displays and BlueSphere cloud device management platform.

Vantron's intelligent display systems are comprised of mobile PCs and touchscreen monitors that deliver enhanced device performance and exceptional human-machine interactive experience. The mobile PCs are powered by industry-leading brands such as Rockchip, NXP, MediaTek, and Intel. The touchscreen monitors offer flexible installation options to cater to various application scenarios. Moreover, the displays are built to excel in harsh environments thanks to advanced features like waterproofing, dustproofing, and shatter resistance.

TMO170 V1.9 © 2025 Vantron Technology, Inc. All rights reserved. This document may be updated or modified by Vantron Technology without prior notice.